

Energy Management Solutions  
Diesel Storage & Dispensing  
UK & Ireland

# FuelMaster®

## TITAN - HVO, Diesel Storage & Dispensing Solutions

Product Guide  
Available from 1,200 - 5,000 Litres



[kingspan.com](https://kingspan.com)



# TITAN FuelMaster®

## Intelligent HVO, Diesel Storage & Dispensing Solutions

10 year Tank Guarantee\*



The FuelMaster range is available from 1,200-5,000 litres with a number of specification options and intelligent tank monitoring and management systems to suit any application.

# TITAN FuelMaster®

HVO Ready



FM1200


FM1225

FM1300

FM2500

FM3500

FM5000



### FuelMaster Smart 5000L:

1. Outer Tank
2. Inner Tank
3. Lockable Doors
4. 72 lpm\*\* Pump 230V
5. Watchman Flo Tank Monitor
6. 6m Hose
7. Auto Shut Off Nozzle
8. Nozzle Holder
9. 10 Micron Particle & Water Filter
10. 2" BSP Coupling for Filling
11. Drip tray in Cabinet
12. Spillstop Mechanical Overfill Protection
13. Light
14. Motion Sensor & Junction Box
15. Suction Line with NRV
16. Analogue Pressure Probe 4-20 mA
17. Bund Leak Detector
18. Watchman Access Fleet Management\*\*\*


\* 10 year warranty applies to tanks only.  
 \*\* Maximum across pump flow rate as defined by pump manufacturer.  
 Actual flowrate will be less.  
 \*\*\* Available only in PRO specifications.




TITAN FuelMaster®

New & Improved Features


Faster Pumps



Digital Flowmeter



Motion Sensor light



Tank Dimensions & Specifications

Capacity (Litres/Gallons)	Length (mm)	Width (mm)	Height (mm)
1,200 / 264	1,150	1,200	1,430
1,225 / 269	2,050	900	1,970
1,300 / 286	1,920	1,230	1,785
2,500 / 550	2,460	1,460	1,860
3,500 / 770	2,850	2,200	1,960
5,000 / 1,100	2,850	2,250	2,350

Specification	Standard 1200-5000L	Advanced 1225-5000L	Smart 1225-5000L	PRO 3500-5000L
Digital Flowmeter (Smart Spec - pulser flowmeter linked to Watchman Flo)		•	•	•
Motion Sensor Light		•	•	•
Junction Box for Wiring		•	•	•
Mechanical Level Clock Gauge	•	•		
Watchman Flo Tank Monitor			•	
Watchman Access Fuel Management System				•

Tank Features that come as standard:

- Lockable Lid
- 72 lpm\* Pump 230V
- 1" Suction Line
- Auto Shut-Off Nozzle
- 10 Micron Particle & Water Filter
- 2" BSP Coupling for filling
- Spillstop Mechanical Overfill Protection
- Nozzle Holder
- 6m Hose\*\*
- Driptray in Cabinet\*\*\*

Power and Safeguard  
your Business

- Industry Leading Approvals - CE marked according to EN13341
- Quality Assured - Made in EN ISO 9001 facility

\*Maximum across pump flow rate as defined by pump manufacturer. Actual flowrate will be less.  
\*\*All capacities come with 6m hose except for 1200L tanks, they come with 4m hose  
\*\*\* Driptray in cabinet is only available for 3500-5000L capacities

TITAN FuelMaster®

FuelMaster®  
Standard

Our Standard specification comes with a 72 lpm\* pump, 6m hose\*\*, 10 micron filter and mechanical level gauge. Without a flowmeter, these tanks are suitable for customers with low fuel usage who do not need to record dispensed fuel.

Tank Specification

- Lockable Lid
  - 72 lpm\* Pump 230V
  - 1" Suction Line
  - Auto Shut-Off Nozzle
  - 10 Micron Particle & Water Filter
  - 2" BSP Coupling for filling
- Spillstop Mechanical Overfill Protection
  - Nozzle Holder
  - 6m hose\*\*
  - Driptray in Cabinet\*\*\*
  - Mechanical Level Clock Gauge



FuelMaster®  
Advanced

Advanced is our most popular solution with a much higher specification including; digital flowmeter and motion sensor light. With the ability to record fuel usage these tanks are ideal for most customers requirements.

Tank Specification

- Lockable Lid
  - 72 lpm\* Pump 230V
  - 1" Suction Line
  - Auto Shut-Off Nozzle
  - 10 Micron Particle & Water Filter
  - 2" BSP Coupling for filling
  - Spillstop Mechanical Overfill Protection
- Nozzle Holder
  - 6m hose
  - Driptray in Cabinet\*\*\*
  - Digital Flowmeter
  - Motion Sensor Light
  - Junction Box for Wiring
  - Mechanical Level Clock Gauge



# TITAN FuelMaster®

## FuelMaster® Smart

Our Smart specification offers you Watchman Flo tank monitor which comes with a digital display and a mobile app showing your last dispensing events and the total amount of fuel dispensed. For those, who require additional features, you can upgrade to access more detailed consumption data remotely on your phone.

### Tank Specification

- Lockable Lid
- 72 lpm\* Pump 230V
- 1" Suction Line
- Auto Shut-Off Nozzle
- 10 Micron Particle & Water Filter
- 2" BSP Coupling for filling
- Spillstop Mechanical Overfill Protection
- Nozzle Holder
- 6m hose
- Drip tray in Cabinet\*\*
- Digital Flowmeter (pulsar flowmeter linked to Watchman Flo)
- Motion Sensor Light
- Junction Box for Wiring
- Watchman Flo Tank Monitor
- Leak Detection



FM1225



FM1300



FM2500



FM3500



FM5000

## FuelMaster® PRO

Our highest specification tanks come with the Watchman Access cloud based fleet management system. This Plug & Play technology offers numerous features and benefits allowing customers to manage and control how fuel is being used and view tank levels remotely resulting in cost savings, security and peace of mind.

### Tank Specification

- Lockable Lid
- 72 lpm\* Pump 230V
- 1" Suction Line
- Auto Shut-Off Nozzle
- 10 Micron Particle & Water Filter
- 2" BSP Coupling for filling
- Spillstop Mechanical Overfill Protection
- Nozzle Holder with Pump Switch
- 6m hose
- Drip tray in Cabinet\*\*
- Digital Flowmeter
- Motion Sensor Light
- Junction Box for Wiring
- Watchman Access Fuel Management System
- Leak Detection



FM3500



FM5000

\*Maximum across pump flow rate as defined by pump manufacturer. Actual flowrate will be less. 100 lpm Pump and 8m hose reel are available as optional extras on Advanced, Smart and PRO Specifications, please contact our representative for more information.

\*\* Drip tray in cabinet is only available for 3500-5000L capacities

# TITAN FuelMaster®

## Remote Tank Monitoring Options

Kingspan  
Intelligence  
Inside



### Watchman Flo Remote Monitoring System Included with FuelMaster Smart

Intelligent flow, level and dispensing measurement system that gives you more than just your tank level.

Have visibility over liquid levels and dispensing events - both locally and remotely via our Kingspan Connect App.



#### What You Get:

- Plug & Play Design
- Roaming Sim Card
- Access to View Data Remotely
- Full Technical Support

#### Standard On-tank Features:

- Total Number Of Litres Dispensed
- Last 10 Dispensing Events
- Live Level on the Screen
- Leak Detection
- Low/High Level Alert

#### Additional App Features\*:

- Last 10 Dispensing Events
- Level Measurement (L/%)
- Leak Detection
- Low/High Level Alert
- Historical Usage (Last Month, 3 Month & 12 Months)
- Predicted Run-Out Date
- Average Daily Usage

#### Get the Kingspan Connect App



### Watchman Access Fuel Management System Included with FuelMaster PRO

#### Benefits Of Watchman Access:

- Never Run Out Of Fuel\*\*
- Monitor Your Fuel Levels Remotely 24/7
- Take Control
- Manage the fuel used by each Vehicle/Driver
- Secure Your Fuel
- Stop Unauthorised Access

#### What You Get:

- Engineer Site Visit†
- Free Online Consultation
- Plug & Play Design
- Starter Pack of 40 Cards & Fobs
- Roaming Sim Card††
- Access to Web Page to View Data
- Full Technical Support



\* This should be ordered additionally and includes subscription fee.

\*\* Customer's responsibility to set alarm function

† Engineers visit mainland UK only

†† SIM card has a 5 year contract built into price of tank

---

# Contact Details

---

## Head Office

180 Gilford Road, Portadown,  
Co. Armagh, BT63 5LF  
United Kingdom  
Email: [tankinfo@kingspan.co.uk](mailto:tankinfo@kingspan.co.uk)  
Tel: +44 (0) 28 3836 4444

## Ireland Office

Dundalk Road  
Carrickmacross  
Co. Monaghan  
Email: [tankinfo@kingspan.ie](mailto:tankinfo@kingspan.ie)  
Tel: +353 (0) 42 969 0022



We take every care to ensure that the information in this document is accurate at the point of publication. Dimensions may vary within a small parameter due to manufacturing process variations or environmental conditions. All images are for illustration purposes only and, along with dimensions, should not be taken as binding. The actual product may vary and aspects such as equipment specification/ colour may differ. To ensure you are viewing the most recent and accurate product information, please visit [www.kingspan.com](http://www.kingspan.com). ©Kingspan and the Lion Device are Registered Trademarks of the Kingspan Group in the UK, Ireland and other countries. All rights reserved. Registered in Country No. NI017631. Registered Office: 180 Gilford Road, Portadown, Co. Armagh, BT635LF. VAT GB412 5124 03

